

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/24/2021

Reviewed on 03/24/2021

**1 Identification**

- **Product identifier**
- **Trade name:** *WAKOL MS 260 Wood Flooring Adhesive, firm-flexible*
- **Application of the substance / the mixture** *Adhesives*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*Loba-Wakol, LLC  
2732 Hwy 74 West  
Wadesboro, NC 28170, USA  
info@loba-wakol.com  
+1 704 527 5919*
- **Information department:** *Product safety department.*
- **Emergency telephone number:**  
*Emergency CONTACT (24-Hour-Number)  
(GBK GmbH - Contract ID: 98229)  
+1 352 323 3500*

**2 Hazard(s) identification**

- **Classification of the substance or mixture**  
*The product is not classified, according to the Globally Harmonized System (GHS).*

- 
- **Label elements**
  - **GHS label elements** *Void*
  - **Hazard pictograms** *Void*
  - **Signal word** *Void*
  - **Hazard statements** *Void*
  - **Classification system:**
  - **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**
- |            |   |                |
|------------|---|----------------|
| HEALTH     | 0 | Health = *0    |
| FIRE       | 1 | Fire = 1       |
| REACTIVITY | 0 | Reactivity = 0 |

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

**3 Composition/information on ingredients**

- **Chemical characterization:** *Mixtures*
- **Description:** *Adhesive*
- **Dangerous components:** *Void*

US

(Contd. on page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 03/24/2021

Reviewed on 03/24/2021

Trade name: **WAKOL MS 260 Wood Flooring Adhesive, firm-flexible**

(Contd. of page 1)

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Clean with water and soap. If possible, also wash with polyethylene glycol 400.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Use only in well ventilated areas.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Protect from humidity and water.  
Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 3)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/24/2021

Reviewed on 03/24/2021

Trade name: **WAKOL MS 260 Wood Flooring Adhesive, firm-flexible**

(Contd. of page 2)

· **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:**

The lists that were valid during the creation were used as basis.  
See Section 10.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.  
Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:**



Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

· **Material of gloves**

Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Safety glasses

· **Body protection:** Protective work clothing

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:

Pasty

Color:

Light brown

· **Odor:**

Odorless

(Contd. on page 4)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 03/24/2021

Reviewed on 03/24/2021

**Trade name: WAKOL MS 260 Wood Flooring Adhesive, firm-flexible**

(Contd. of page 3)

- **Odor threshold:** *Not determined.*
- **pH-value:** *Not determined.*
- **Change in condition**
  - Melting point/Melting range:** *Undetermined.*
  - Boiling point/Boiling range:** *Undetermined.*
- **Flash point:** *>151 °C (>303.8 °F)*
- **Flammability (solid, gaseous):** *Not applicable.*
- **Ignition temperature:** *375 °C (707 °F)*
- **Decomposition temperature:** *Not determined.*
- **Auto igniting:** *Product is not selfigniting.*
- **Danger of explosion:** *Product does not present an explosion hazard.*
- **Explosion limits:**
  - Lower:** *Not determined.*
  - Upper:** *Not determined.*
- **Vapor pressure:** *Not determined.*
- **Density at 20 °C (68 °F):** *1.76 g/cm<sup>3</sup> (14.687 lbs/gal) (EN ISO 2811-1)*
- **Relative density** *Not determined.*
- **Vapor density** *Not determined.*
- **Evaporation rate** *Not determined.*
- **Solubility in / Miscibility with**
  - Water:** *Not miscible or difficult to mix.*
- **Partition coefficient (n-octanol/water):** *Not determined.*
- **Viscosity:**
  - Dynamic at 20 °C (68 °F):** *80,000 mPas (ISO 2555)*
  - Kinematic:** *Not determined.*
- **VOC content:** *0.00 %*
- **Solids content:** *98.80 % (DIN EN 827.8.2)*
- **Other information** *No further relevant information available.*

**10 Stability and reactivity**

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *Reacts with strong acids and oxidizing agents.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*
- **Additional information:** *Product releases low quantities of methanol during appropriated application.*

-US-

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/24/2021

Reviewed on 03/24/2021

Trade name: **WAKOL MS 260 Wood Flooring Adhesive, firm-flexible**

(Contd. of page 4)

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**  
**870-08-6 dioctyltin oxide**  
 Oral LD50 2,500 mg/kg (rat)
- **Additional toxicological information:**  
*The product is not subject to classification according to internally approved calculation methods for preparations:  
 When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.*
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)**  
*None of the ingredients is listed.*
- **NTP (National Toxicology Program)**  
*None of the ingredients is listed.*
- **OSHA-Ca (Occupational Safety & Health Administration)**  
*None of the ingredients is listed.*

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:**  
**870-08-6 dioctyltin oxide**  
 LC50/96h >0.09 mg/l (Brachydanio rerio)  
 EC50/48h >0.21 mg/l (Daphnia magna)  
 EC50/3h >1,000 mg/l (bacteria)
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
*Water hazard class 1 (Self-assessment): slightly hazardous for water  
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/24/2021

Reviewed on 03/24/2021

**Trade name: WAKOL MS 260 Wood Flooring Adhesive, firm-flexible**

(Contd. of page 5)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- **UN-Number**
- **DOT, ADR, ADN, IMDG, IATA** Void
- **UN proper shipping name**
- **DOT, ADR, ADN, IMDG, IATA** Void
- **Transport hazard class(es)**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class** Void
- **Packing group**
- **DOT, ADR, IMDG, IATA** Void
- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **Transport/Additional information:** Not dangerous according to the above specifications.
- **DOT**
- **Remarks:** not regulated

---

- **ADR**
- **Remarks:** not regulated

---

- **IMDG**
- **Remarks:** not regulated

---

- **IATA**
- **Remarks:** not regulated
- **UN "Model Regulation":** Void

**15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):**  
None of the ingredient is listed.
- **Section 313 (Specific toxic chemical listings):**  
None of the ingredients is listed.
- **TSCA (Toxic Substances Control Act):**  
All ingredients are listed or are not required to be listed on the TSCA inventory.
- **Hazardous Air Pollutants**  
None of the ingredients is listed.
- **Proposition 65**
- **Chemicals known to cause cancer:**  
None of the ingredients is listed.

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/24/2021

Reviewed on 03/24/2021

**Trade name: WAKOL MS 260 Wood Flooring Adhesive, firm-flexible**

(Contd. of page 6)

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· New Jersey Right-to-Know List:**

1317-65-3 limestone

**· New Jersey Special Hazardous Substance List:**

None of the ingredients is listed.

**· Pennsylvania Right-to-Know List:**

1317-65-3 limestone

**· Pennsylvania Special Hazardous Substance List:**

None of the ingredients is listed.

**· GHS label elements** Void**· Hazard pictograms** Void**· Signal word** Void**· Hazard statements** Void**· National regulations:****· VOC:**· **VOC (EU)** 0.3 g/l· **VOC (USA):** 0.3 g/l / 0.00 lb/gal· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Contact:**· **Date of preparation / last revision** 03/24/2021 / 7**· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

MAL-Code: Måleteknisk Arbejdshygiejnisk Lufibehov (Regulation for the labeling concerning inhalation hazards, Denmark)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety &amp; Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit